

1. Identification of the mixture and the company or company.

1.1. Product identifier.

Product Name

FIXMAR LATEX

1.2. Identified relevant uses of the mixture and discouraged uses.

Primer

1.3. Data from the safety data sheet provider.

AYMAR S.A.U. Planta y Oficinas. Ctra. C-35, Km 58 · Ap. Correos nº1. 08470 SANT CELONI (Barcelona).

Tel. (+34) 93 867 00 00

aymar@aymarsa.es.

www.aymarsa.es

1.4. Emergency telephone.

National Institute of Toxicology: 915 62 04 20

2. Hazard identification.

2.1. Classification of the mixture.

The product is not classified as hazardous according to Directive 1999/45/EC.

The product is not classified as hazardous according to Regulation (EU) No 1272/2008.

2.2. Label elements.

n/a

2.3. Other dangers.

Under normal use and in its original form, the product has no other negative effects on health and the environment.

3. Composition/information on components.

3.2. Mixtures.

This mixture does not contain substances that pose a hazard to health or the environment in accordance with Directive 67/548/EEC on hazardous substances or Regulation (EC) No. 1272/2008, have a community workplace exposure limit assigned, nor are they classified as PBT/vPvB or included in the Candidate List.

4. First aid.

4.1. Description of first aid.

In cases of doubt, or when symptoms of discomfort persist, seek medical attention. Never administer anything orally to people who are unconscious.

Inhalation.

Place the injured person outdoors, keep them warm and at rest, if breathing is irregular or stops, practice artificial respiration. Do not administer anything by mouth. If he is unconscious, put him in a suitable position and seek medical help.

Eye contact.

If you wear contact lenses, remove them. Wash your eyes thoroughly with clean, fresh water for at least 10 minutes, pulling up on your eyelids and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash the skin vigorously with soap and water or a suitable skin cleaner. **NEVER** use solvents or thinners.

Ingestion.

If it has been accidentally swallowed, seek medical attention immediately. Keep him at rest. **NEVER** induce vomiting.

4.2. Main symptoms and effects, acute and delayed.

Irritant, repeated or prolonged contact with the skin or mucous membranes may cause redness, blistering or dermatitis, inhalation of spray mist or suspended particles may cause irritation of the respiratory tract, some of the symptoms may not be immediate. Allergic reactions may occur.

4.3 Indication of any medical care and special treatments to be given immediately.

In cases of doubt, or when symptoms of discomfort persist, seek medical attention. Never administer anything orally.

5. Firefighting measures.

The product is **NOT** classified as flammable; in case of fire the following measures must be followed:

5.1. Means of extinguishing.**Means of extinguishing**
Recommended.

Fire extinguisher powder or CO₂. In case of more serious fires, also alcohol and water-resistant foam Spray. Do not use a direct jet of water for extinguishing.

5.2. Specific hazards arising from the mixture.**Special risks.**

Fire can produce thick black smoke. As a result of thermal decomposition, they can Dangerous products can be formed: carbon monoxide, carbon dioxide. Exposure to combustion or spoilage products can be harmful to health.

5.3. - Recommendations for firefighting personnel.

Cool tanks, cisterns or containers near the source of heat or fire with water. Take into account the direction of the wind. Prevent products used in firefighting from entering drains, sewers or watercourses.

Protective equipment
Fire.

Depending on the magnitude of the fire, it may be necessary to wear heat protective suits, equipment self-contained respiratory, gloves, goggles or face masks and boots.

6. Measures in case of accidental spillage.**6.1. Personal precautions, protective equipment, and emergency procedures.**

For exposure control and individual protection measures, see section 8.

6.2. Environmental precautions.

Products are not classified as hazardous to the environment, avoid any spillage as far as possible.

6.3. Containment and cleaning methods and material.

Collect the spill with non-combustible absorbent materials (earth, sand, vermiculite, diatomaceous earth, etc.). Pour the product and absorbent into a suitable container. The contaminated area should be cleaned immediately with suitable decontaminant. Add the decontaminant to the remains and leave it for several days until there is no reaction, in an unsealed container.

6.4. Reference to other sections.

For exposure control and individual protection measures, see section 8.

For waste disposal, follow the recommendations in section 13.

7. Handling and storage.**7.1. Precautions for safe handling.**

The product does not require special handling measures; the following general measures are recommended:

For personal protection, see section 8. Never use pressure to empty the containers, they are not pressure-resistant containers.

Smoking, eating and drinking must be prohibited in the area of application.

Comply with legislation on safety and hygiene at work. Store the product in packaging of a material identical to the original.

7.2. Safe storage conditions, including possible incompatibilities.

The product does not require special storage measures.

As general storage conditions, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidizing agents and strongly acidic or alkaline materials.

Store containers between 5 and 35 °C, in a dry and well-ventilated place. Store according to local legislation. Observe the instructions on the label.

7.3. Specific end uses.

There are no particular recommendations for the use of this product other than those already indicated.

8. Exposure/personal protection controls.

8.1. Control parameters.

The product does NOT contain substances with Environmental Occupational Exposure Limit Values.

8.2. Exposure controls.

Order measures technician:

Provide adequate ventilation, which can be achieved through good local extraction-ventilation and a Good overall extraction system.

Respiratory protection:

PPE	Filter mask for protection against gases and particles
Characteristics	CE marking Category III. The mask must have a wide field of vision and anatomical shape to offer watertightness and airtightness.
CEN Standards	EN 136, EN 140, EN 405
Maintenance	It should not be stored in places exposed to high temperatures and humid environments before use. The condition of the inhalation and exhalation valves of the face adapter should be especially monitored.
Remarks	The manufacturer's instructions regarding the use and maintenance of the equipment should be read carefully. The necessary filters should be attached to the equipment according to the specific characteristics of the risk (Particulates and aerosols: P1-P2-P3, Gases and vapors: AB-E-K-AX) and changed as advised by the manufacturer.

Hand protection:

PPE	Chemical protection gloves		
Characteristics	CE marking Category III.		
CEN Standards	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance	They should be stored in a dry place, away from possible sources of heat, and exposure to sunlight should be avoided as much as possible. No modifications will be made to the gloves that may alter their resistance, nor will paints, solvents or adhesives be applied.		
Remarks	Gloves should be the correct size and fit in the hand without being too loose or too tight. They should always be used with clean and dry hands.		
Material	PVC (Polyvinyl Chloride)	Penetration time (min.): > 480	Material thickness (mm): 0.35

Eye protection:

PPE	Face Shield
Characteristics	CE marking Category II. Eye and face protector against liquid splashes.
CEN Standards	EN 165, EN 166, EN 167, EN 168
Maintenance	Visibility through the eyepieces must be optimal, for which these elements must be cleaned daily, the protectors must be disinfected periodically following the manufacturer's instructions. Ensuring that the moving parts are gently operated shall be monitored.
Remarks	Face shields must have a field of view with a centerline dimension of at least 150 mm, vertically once attached to the frame.

Skin protection:

PPE	Protective clothing with antistatic properties
Characteristics	CE marking Category II. Protective clothing should not be narrow or loose so that it does not interfere with the wearer's movements.
CEN Standards	EN 340, EN 1149-1, EN 1149-2, EN 1149-3, EN 1149-5
Maintenance	The washing and storage instructions provided by the manufacturer should be followed to ensure unchanging protection.
Remarks	Protective clothing should provide a level of comfort consistent with the level of protection it should provide against the risk against which it protects, with the environmental conditions, the level of activity of the wearer and the expected time of use.

Foot protection:

PPE	Protective footwear with antistatic properties
Characteristics	CE marking Category II.
CEN Standards	EN ISO 13287, EN ISO 20344, EN ISO 20346
Maintenance	Footwear must be subject to regular control, if its condition is deficient, it must be stopped and replaced.
Remarks	Comfort of use and acceptability are factors that are valued very differently depending on the individual. Therefore, it is advisable to try different models of footwear and, if possible, different widths.

9. Physical and chemical properties.**9.1. Information on basic physical and chemical properties.**

Aspect:	Odorless powder of characteristic color
Color:	N/A
Smell:	N/A
Olfactory threshold:	N/A
pH:	N/A
Melting Point:	N/A
Boiling point/range:	N/A
Flash Point:	> 55 °C
Evaporation rate:	N/A
Flammability (solid, gas):	N/A
Lower Explosion Limit:	N/A
Upper Explosion Limit:	N/A
Vapor Pressure:	N/A
Vapor density:	N/A
Relative density:	N/A
Solubility:	N/A
Liposolubility:	N/A
Water solubility:	N/A
Partition coefficient (n-octanol/water):	N/A
Self-ignition temperature:	N/A
Decomposition temperature:	N/A
Viscosity:	N/A
Explosive properties:	N/A
Oxidizing properties:	N/A

9.2. Other data.

VOC Content (w/w):	0,079 %
VOC Content:	0,789 g/l

10. Stability and reactivity.

10.1. Reactivity.

The product does not present any hazards due to its reactivity.

10.2. Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3. Possibility of dangerous reactions.

The product does not present the possibility of dangerous reactions.

10.4. Conditions to be avoided.

Avoid temperatures close to the flash point, do not heat closed containers.

10.5. Incompatible materials.

Keep away from oxidizing agents and strongly alkaline or acidic materials, in order to avoid exothermic reactions.

10.6. Dangerous decomposition products.

In the event of a fire, dangerous decomposition products such as carbon monoxide and dioxide, fumes and nitrogen oxides can be generated.

11. Toxicological information.

11.1. Information on toxicological effects.

Repeated or prolonged contact with the product can cause the removal of oil from the skin, resulting in non-allergic contact dermatitis and absorption of the product through the skin.

Splashes in the eyes can cause irritation and reversible damage.

No information is available regarding the toxicity of the substances present

12. Ecological information.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

There is no information available on the persistence and degradability of the product.

12.3 Bioaccumulation potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility on the ground.

There is no information available on mobility on the ground.

The product should not be allowed to pass into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of the PBT and vPvB assessment.

There is no information available on the PBT and mPvB valuation of the product.

12.6 Other side effects.

There is no information available on other adverse effects on the environment.

13. Disposal considerations.

13.1 Methods for waste treatment.

Their discharge into sewers or watercourses is not permitted. Waste and empty packaging must be handled and disposed of in accordance with applicable local/national legislation.

Follow the provisions of the Directive 2008/98/EC regarding waste management.

14. Transport information.

It is not dangerous for transportation. In the event of an accident and spillage of the product, act according to point 6.

14.1 UN number.

It is not dangerous for transportation.

14.2 Official United Nations Transport Designation.

It is not dangerous for transportation.

14.3 Transport hazard class(es).

It is not dangerous for transportation.

14.4 Packaging group.

It is not dangerous for transportation.

14.5 Hazards to the environment.

It is not dangerous for transportation.

14.6 Particular precautions for users.

It is not dangerous for transportation.

14.7 Bulk transport in accordance with Annex II of the MARPOL Convention and the IBC Code.

It is not dangerous for transportation.

15. Regulatory information.

15.1 Safety, health and environmental legislation and regulations specific to blending.

The product is not affected by Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

See Annex I to Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances and Regulation (EC) No 689/2008 of the European Parliament and of the Council of 17 June 2008 on the export and import of hazardous chemicals and its subsequent updates.

15.2 Chemical safety assessment.

A chemical safety assessment of the product has not been carried out.

16. Other information.

Modifications with respect to the previous safety data sheet that affect risk management measures: Not relevant

Advice regarding training: Minimum training in occupational risk prevention is recommended for personnel who are going to handle this product, in order to facilitate the understanding and interpretation of this safety data sheet, as well as the labelling of the product.

The information in this Product Safety Data Sheet is based on current knowledge and current EC and national laws, as the working conditions of users are beyond our knowledge and control. The product must not be used for purposes other than those specified, without first having a written instruction for its operation. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established in the legislation.



Plant and Offices

Ctra. C-35, Km 58 · Ap. Correos nº1
08470 SANT CELONI (Barcelona)

Tel. (+34) 93 867 00 00

aymar@aymarsa.es
www.aymarsa.es

